

Reference Table

Baseline: 12/20/96

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text	RBR_id
F-HRD-00080	11159	B	standards	approved	inspection	unverified	96-0952A		The cabinet shall accommodate EIA Universal Standard RS-310 hole spacing or provide for a continuously adjustable equipment and panel mounting system.	
F-HRD-02055	11288	B	functional	approved	inspection	unverified	96-0952A		Each Real-Time Server shall support one CD-ROM drive.	
F-HRD-02060	11289	B	functional	approved	inspection	unverified	96-0952A		Each Real-Time Server CD-ROM drive shall have the following characteristics: a. Accept 600MB Compact Disk	
F-HRD-02065	11290	B	functional	approved	inspection	unverified	96-0952A		The Real-Time Server CD-ROM drives shall be upgradeable/replaceable within the same product family.	EOSD0545#B
F-HRD-02085	11160	B	standards	approved	inspection	unverified	96-0952A		The cabinet shall accommodate EIA Universal Standard RS-310 hole spacing or provide for a continuously	

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text	RBR_id
									adjustable equipment and panel mounting system.	
F-HRD-06015	11291	B	functional	approved	test	unverified	96-0952A		Test equipment to be provided include: a. One communications line monitor to store and display up to 10,000 bytes of data sent and received over any of the communications lines at rates of 10MB/sec to 100MB/sec, and supporting the protocols used by FOS. b. One Metallic Cable Time Domain Reflectometer c. One digital VOM/multimeter d. One Local Area Network analyzer	

RBR_id	req_key	req_category	segment	req_type	s_verif_method	s_verif_stat	a_verif_method	a_verif_stat	CCR	text	interpretation text	clarification	L4 id
EOSD3200#B	7138	mission critical	FOS SDPS CSMS	security	inspection	un-verified	inspection	un-verified	96-0956A	A minimum of one backup which is maintained in a separate physical location (i.e., different building) shall be maintained for ECS software and key data items (including security audit trails and logs).			C-MSS-90180
													C-MSS-90190
													F-HRD-03030
													C-CSS-03900
													C-CSS-03910
													C-MSS-04000
													C-MSS-04010